



EDCON-COMPONENTS






SPECIFICATION:

Current Rating: 50mA / 12VDC
 Insulator Resistance: 100 Megaohm min.
 Dielectric Withstanding: AC 250V
 Operating Temperature: -25°C to +70°C
 Travel: 0,25mm ± 0,1mm
 Insulator Material: PA66
 Cover: PA66
 Contact Plating: Stainless Steel Silver plated
 Terminal: Brass Silver plated
 Sealed Character: IP67

P.C.B Layout



Drawing



**Waterproof TACT SWITCH
THT 12x12mm**

Part No.: **Q11106**

Customer:

DRW:	Jason	CHKD	Wilson	MATL:	Wilson	TOLERANCE	Mason	DATE	27.07.2014
APPD:	Schumi			FINISH	Jamy		Sheet No.	1 from 4	

EDCON-COMPONENTS



Knob Height Specifications (other specification on request)

Knob Order Code L	Height (mm)
058	5,8
060	6,0
065	6,5
070	7,0
075	7,5
080	8,0
085	8,5
090	9,0
095	9,5
100	10,0
105	10,5
110	11,0
115	11,5
120	12,0
125	12,5
130	13,0
135	13,5
140	14,0
145	14,5
165	16,5
170	17,0
185	18,5
195	19,5
225	22,5

Knob Order Code L	Height (mm)

Knob Order Code L	Height (mm)

Waterproof TACT SWITCH THT 12x12mm
Part No.: Q11106
Customer:

DRW: Jason	CHKD Wilson	MATL: Wilson	TOLERANCE Mason	DATE 27.07.2014
APPD: Schumi		FINISH Jamy	Sheet No.	2 from 4

EDCON-COMPONENTS



Ordering Informations

Serie	Total height w. Body	Fill with 0	Operating Force	Polarisation Peg	Electrical life	Fill with 0	ROHS	Packing		
Q11106	085	X	231	N	104	X	R	BU		

xxx= Look Knob Order Code L	X= no function	231= 230gr	N= without Peg	104= 100000 cycles	X= no function	N= non ROHS	BU= Bulk Ware
		331= 330gr				R= ROHS conform	

**Waterproof TACT SWITCH
THT 12x12mm**


Part No.: **Q11106**

DRW:	Jason	CHKD	Wilson	MATL:	Wilson	TOLERANCE	Mason	DATE	27.07.2014
APPD:	Schumi			FINISH	Jamy			Sheet No.	3 from 4


Customer:



Soldering Profile for Lead Soldering



Soldering Profile for Lead Free Soldering



**Waterproof TACT SWITCH
THT 12x12mm**

Part No.: **Q11106**

DRW:	Jason	CHKD	Wilson	MATL:	Wilson	TOLERANCE	Mason	DATE	27.07.2014
APPD:	Schumi			FINISH	Jamy		Sheet No.	4 from 4	Customer: