


# EDCON-COMPONENTS




## Technical Discription

Temperature Range: . -20°C ~ + 70°C  
 Rated Load: DC 50V/1A  
 Contact Resistance: ≤ 0,03 Ω  
 Insulation Resistance: ≥ 1000M Ω  
 Withstanding Voltage: AC 500V (50Hz) 1 min.  
 Insertion & Extraction Force: 5-35N  
 Lifetime: 10000 cycles

## Technical Dimensions



## PCB Layout



### AUDIO 6,35mm Connector

Part No.: **T13L035**


Customer:

DRW:	Jason	CHKD	Wilson	MATL:	Wilson	TOLERANCE	Mason	DATE	10.04.2009
APPD:	Schumi			FINISH	Jamy		Sheet No.		1 from 3

# EDCON-COMPONENTS



Circuit Code



## Ordering Informations

Serie	Circuit Code	ROHS	Packing							
<b>T13L035</b>	<b>xx</b>	<b>R</b>	<b>BU</b>							

<b>XX=</b> Look at Circuit Code	<b>R=</b> ROHS Conform	<b>BU=</b> BULK- WARE
	<b>N=</b> NON ROHS Conform	<b>TY=</b> TRAY Packing

<b>AUDIO 6,35mm Connector</b>
Part No.: <b>T13L035</b>
Customer:

DRW:	Jason	CHKD	Wilson	MATL:	Wilson	TOLERANCE	Mason	DATE	10.04.2009
APPD:	Schumi			FINISH	Jamy		Sheet No.		2 from 3


[www.edcon-components.com](http://www.edcon-components.com)

email: [info@edcon-components.com](mailto:info@edcon-components.com)



Soldering Profile Lead Free Curve

Classification Reflow Profile (JEDEC J-STD-020C)



**AUDIO 6,35mm Connector**

Part No.: **T13L035**

DRW:	Jason	CHKD	Wilson	MATL:	Wilson	TOLERANCE	Mason	DATE	10.04.2009
APPD:	Schumi			FINISH	Jamy		Sheet No.	3 from 3	

Customer: