

EDCON-COMPONENTS



Technical Discription

Temperature Range:	ABS= -40°C ~ +80°C
Protection Degree	IP66
Screw Material:	M4 Stainless Steel

Internal Bosses Alloow mounting of PCB horizontally or for connection of terminals, etc, into threaded insert.
Wall mounting holes and cover attaching screws are outside the sealing area thus preventing ingress of moisture and dust
Recessed area on cover for sticking membrane Keyboard

Dimension (mm)					

**Sealed Plastic Enclosure
200 x 120 x 90mm**

Part No.: **H81005**

DRW:	Jason	CHKD	Wilson	MATL:	Wilson	TOLERANCE	Mason	DATE	17.05.2013	Customer:
APPD:	Schumi			FINISH	Jamy		Sheet No.	1 from 3		


www.edcon-components.com

email: info@edcon-components.com

EDCON-COMPONENTS



Technical Drawing



**Sealed Plastic Enclosure
200 x 120 x 90mm**

Part No.: **H81005**

DRW:	Jason	CHKD	Wilson	MATL:	Wilson	TOLERANCE	Mason	DATE	17.05.2013	Customer:
APPD:	Schumi			FINISH	Jamy			Sheet No.	2 from 3	

www.edcon-components.com

email: info@edcon-components.com

Copyright by S.Tiede

EDCON-COMPONENTS



Ordering Informations

Serie	Material Base	Color Base	Material Cover	Color Cover	ROHS	Packing				
H81005	A	G	A	G	R	S				
A= ABS		G= Gray	A= ABS	G= Gray	R= ROHS Conform	S= Standard Packing				
P= Polycar - bonat		L= Light Gray	P= Polycar - bonat	L= Light Gray	N= NON ROHS Conform	I= Individual Packing				
				T= Transparent						

**Sealed Plastic Enclosure
200 x 120 x 90mm**

Part No.: **H81005**

DRW:	Jason	CHKD	Wilson	MATL:	Wilson	TOLERANCE	Mason	DATE	17.05.2013
APPD:	Schumi			FINISH	Jamy		Sheet No.	3 from 3	

Customer: