




EDCON-COMPONENTS




Specifications

Current Rating:	3,0 Ampere
Insulator Resistance:	5000 Megaohm min.
Contact Resistance	20m Ohm max.
Dielectric Withstanding:	AC 500V
Operating Temperature:	.-65°C to +125°C
Contact Material:	Brass
Insulator Material:	PBT, UL94V0
Contact Plating:	Tin, Gold or Selective Plated
Standard:	Gold Flash Overall

P.C.B Layout



Technical Drawing




SMD Dual Row Female Header Pitch 2,54mm


Part No.: **T27A1132-**

Customer:

DRW:	Jason	CHKD	Wilson	MATL:	Wilson	TOLERANCE	Mason	DATE	23.06.2016
APPD:	Schumi			FINISH	Jamy		Sheet No.		1 from 4



Technical Drawing




Pin-L- Code	Dim. (mm)
A01	6,70
A02	

SMD Dual Row Female Header Pitch 2,54mm	
Part No.:	T27A1132-
Customer:	

DRW:	Jason	CHKD	Wilson	MATL:	Wilson	TOLERANCE	Mason	DATE	23.06.2016
APPD:	Schumi			FINISH	Jamy		Sheet No.	2 from 4	

EDCON-COMPONENTS



Ordering Informations


Serie	No. of Pos.	Construction	Contact Plating	Material	Special function	Pin Length Code	ROHS	Packing		
T27A1132-	XX	SS	G0	PB	N	A01	R	BU		

04 ~ 80Pos.	SS= Straight PiN SMT	G0= Gold Flash (Standard)	PB= PBT	N= No speical function	look Table No. 1	N= NO ROHS conform	BU= Bulk (Standard)
		T0= Tin plated	P6= PA 6T			R= ROHS conform	TU= Tube w/o Cap
		GA= 3µ Gold Plating	LC= LCP	PA= PA-46	TC= Tube w. pic and Place Cap		
		GB= 5µ Gold Plating			TY= Tray packing w/o Cap		
		GC= 10µ Gold Plating			TR= Tape/Reel w. pic and Place Cap		
		GC= 15µ Gold Plating					
		GC= 30µ Gold Plating					


SMD Dual Row Female Header Pitch 2,54mm	
Part No.:	T27A1132-
Customer:	

DRW:	Jason	CHKD	Wilson	MATL:	Wilson	TOLERANCE	Mason	DATE	23.06.2016
APPD:	Schumi			FINISH	Jamy		Sheet No.		3 from 4


EDCON-COMPONENTS



Soldering Profile for Lead Soldering (P.B.T.)



Soldering Profile for Lead Free Soldering (PA6T)



SMD Dual Row Female Header Pitch 2,54mm

Part No.: **T27A1132-**

DRW:	Jason	CHKD	Wilson	MATL:	Wilson	TOLERANCE	Mason	DATE	23.06.2016
APPD:	Schumi			FINISH	Jamy		Sheet No.	4 from 4	Customer:

www.edcon-components.com

email: info@edcon-components.com