


EDCON-COMPONENTS





Technical Discription

| | |
|---------------------------------|-----------------|
| Nominal Capacity | 800mAh |
| Nominal Voltage | 1,2Volt |
| Discharge Cut-Off Voltage | 1,0Volt |
| Charge Current Standard | 80mA |
| Charge Current Rapid | 800mAh |
| Charge Time Standard | 14~16Hrs |
| Charge Time Rapid | 1,2Hrs |
| Service Lifetime | > 500 cycles |
| Ambient Temperature | |
| Charge Standard | . 0°C ~ +45°C |
| Charge Rapid | 10°C ~ +40°C |
| Discharge | . -20°C ~ +60°C |
| Storage | . -20°C ~ +30°C |
| Internal Impedance After Charge | < 25mΩ |

Drawing (mm)

| | |
|----|------|
| D= | 14,5 |
| H= | 50,4 |








**Rechargeable Nickel Metall
Hybride Cylindrical Cell**

Part No.: **B14019**

Customer:

| | | | | | | | | | |
|-------|--------|------|--------|--------|--------|-----------|-----------|----------|------------|
| DRW: | Jason | CHKD | Wilson | MATL: | Wilson | TOLERANCE | Mason | DATE | 10.08.2008 |
| APPD: | Schumi | | | FINISH | Jamy | | Sheet No. | 1 from 3 | |

EDCON-COMPONENTS




| | |
|---|---------------|
| Rechargeable Nickel Metal Hybride Cylindrical Cell | |
| Part No.: | B14019 |
| Customer: | |

| | | | | | | | | | |
|-------|--------|------|--------|--------|--------|-----------|-----------|----------|------------|
| DRW: | Jason | CHKD | Wilson | MATL: | Wilson | TOLERANCE | Mason | DATE | 10.08.2008 |
| APPD: | Schumi | | | FINISH | Jamy | | Sheet No. | 2 from 3 | |

www.edcon-components.com

email: info@edcon-components.com

EDCON-COMPONENTS



Ordering Informations

| Serie | Size of Battery | ROHS | Packing | Customer No. | - | Customer type |
|--------|-----------------|------|---------|--------------|---|---------------|
| B14019 | 1450 | R | T | | | |

| | | | |
|----------------------------|----------------------|-------------------------------------|-------------------------------------|
| R= ROHS Conform | T= Tray | When our customer need special item | Sequential number from our customer |
| N= NON ROHS Conform | I= individual | | |

| | |
|--|---------------|
| Rechargeable Nickel Metall Hybride Cylindrical Cell | |
| Part No.: | B14019 |
| Customer: | |

| | | | | | | | | | |
|-------|--------|------|--------|--------|--------|-----------|-----------|------|------------|
| DRW: | Jason | CHKD | Wilson | MATL: | Wilson | TOLERANCE | Mason | DATE | 10.08.2008 |
| APPD: | Schumi | | | FINISH | Jamy | | Sheet No. | | 3 from 3 |