



DATA SHEET

Lithium Primär Cell Type 1/3

Serie: B42001

Lithium Primär Cell Type 1/3

Serie No.: **B42001**

Customer:

DRW:	Jason	CHKD	Wilson	MATL:	Wilson	TOLERANCE	Mason	DATE	22.02.2011
APPD:	Schumi			FINISH	Jamy		Sheet No.		1 from 3

EDCON-COMPONENTS




Specifications

Nominal Voltage	3,0 Volt
Nominal Capacity	170 (mAH)
Operating Temperature	. -55 ~ + 70°C
Rechargeable:	NO

Dimensions (mm)

A	Ø 11,6
B	Ø 10,8 / +0,0 -0,2
C	
E	

Technical Drawing



Lithium Primär Cell Type 1/3

Part No.: **B42001**

Customer:

DRW:	Jason	CHKD	Wilson	MATL:	Wilson	TOLERANCE	Mason	DATE	22.02.2011
APPD:	Schumi			FINISH	Jamy		Sheet No.	2 from 3	

EDCON-COMPONENTS



Ordering Informations

Serie	Type of Battery	Lead Style	No function	ROHS	Packing Code					
-------	-----------------	------------	-------------	------	--------------	--	--	--	--	--

B42001	-	1/3	00	0	R	TY				
---------------	---	------------	-----------	----------	----------	-----------	--	--	--	--

1/3= Lithium Battery	00= NO function	0= NO function	R= ROHS Conform N= NON ROHS Conform	IP= Industrial Package
				TY= Tray Package
			B1= Blister 1 Pcs	
			B5= Blister 5 Pcs	
				CU= Customer Special

Lithium Primär Cell Type 1/3
Part No.: B42001
Customer:

DRW:	Jason	CHKD	Wilson	MATL:	Wilson	TOLERANCE	Mason	DATE	22.02.2011
APPD:	Schumi			FINISH	Jamy		Sheet No.		3 from 3