

# EDCON-COMPONENTS



## Technical Discription

### Electrical

Rated Voltage	800Volt
Rated Current	32A
Solid Wire Range	0,2 ~ 4,0mm <sup>2</sup>
Stranded Wire Range	0,2 ~ 2,5mm <sup>2</sup>
Dimension	
Length	42,5mm
Thickness	5,2mm
Height	47mm
Rail-Type	U35-7.5
Screw	M3
Non Isolation Area	8mm

**DIN-RAIL-Terminal Block**

Part No.: **A31019**

DRW:	Jason	CHKD	Wilson	MATL:	Wilson	TOLERANCE	Mason	DATE	06.11.2014	Customer:
APPD:	Schumi			FINISH	Jamy		Sheet No.	1 from 2		

# EDCON-COMPONENTS



## Ordering Informations

Serie	No. of Pos.	Body Color	Screw Type	ROHS	Packing					
<b>A31019</b>	<b>01</b>	<b>YG</b>	<b>A</b>	<b>R</b>	<b>BU</b>					

<b>01</b> = Number of Pos.	<b>YG</b> = Yellow Green (Standard)	<b>A</b> = Slotted Screw Type (Standard)	<b>R</b> = ROHS Conform <b>N</b> = NON ROHS Conform	<b>BU</b> = Bulk-Ware <b>IV</b> = Individual Package
----------------------------	-------------------------------------	--	--	---

<b>DIN-RAIL-Terminal Block</b>
Part No.: <b>A31019</b>
Customer:

DRW:	Jason	CHKD	Wilson	MATL:	Wilson	TOLERANCE	Mason	DATE	06.11.2014
APPD:	Schumi			FINISH	Jamy		Sheet No.	2 from 2	

