

# EDCON-COMPONENTS



## Technical Discription

### Electrical

Rated Voltage	800Volt
Rated Current	6,3A
Solid Wire Range	0,2 ~ 4,0mm <sup>2</sup>
Stranded Wire Range	0,2 ~ 4,0mm <sup>2</sup>
Dimension	
Length	72,5mm
Thickness	8,2mm
Height	56,6mm
Rail-Type	U35-7.5
Screw	M3
Non Isolation Area	8mm
Fuse Diameter	5x20mm
Max. Current of Fuse	6,3mm
Indicator Type	LED
Indicator Voltage	250V

**DIN-RAIL-Terminal Block**

Part No.: **A31038**

DRW:	Jason	CHKD	Wilson	MATL:	Wilson	TOLERANCE	Mason	DATE	06.11.2014	Customer:
APPD:	Schumi			FINISH	Jamy		Sheet No.	1 from 2		

# EDCON-COMPONENTS



## Ordering Informations

Serie	No. of Pos.	Body Color	Screw Type	ROHS	Packing					
<b>A31038</b>	<b>01</b>	<b>BK</b>	<b>A</b>	<b>R</b>	<b>BU</b>					

<b>01</b> = Number of Pos.	<b>BK</b> = Black (Standard)	<b>A</b> = Slotted Screw Type (Standard)	<b>R</b> = ROHS Conform	<b>BU</b> = Bulk-Ware
			<b>N</b> = NON ROHS Conform	

<b>DIN-RAIL-Terminal Block</b>
Part No.: <b>A31038</b>
Customer:

DRW:	Jason	CHKD	Wilson	MATL:	Wilson	TOLERANCE	Mason	DATE	06.11.2014
APPD:	Schumi			FINISH	Jamy		Sheet No.		2 from 2

