

# EDCON-COMPONENTS



## Technical Discription

### Electrical

Rated Voltage	500Volt
Rated Current	32A
Solid Wire Range	0,2 ~ 4,0mm <sup>2</sup>
Stranded Wire Range	0,2 ~ 2,5mm <sup>2</sup>
Dimension	
Length	56mm
Thickness	5,2mm
Height	62mm
Rail-Type	U35-7.5
Screw	M3
Non Isolation Area	8mm

**DIN-RAIL-Terminal Block**

Part No.: **A31043**

DRW:	Jason	CHKD	Wilson	MATL:	Wilson	TOLERANCE	Mason	DATE	06.11.2014	Customer:
APPD:	Schumi			FINISH	Jamy		Sheet No.	1 from 2		

# EDCON-COMPONENTS



## Ordering Informations

Serie	No. of Pos.	Body Color	Screw Type	ROHS	Packing					
<b>A31043</b>	<b>01</b>	<b>GY</b>	<b>A</b>	<b>R</b>	<b>BU</b>					

01= Number of Pos.	GY= Gray (Standard)	A= Slotted Screw Type (Standard)	R= ROHS Conform	BU= Bulk-Ware
			N= NON ROHS Conform	IV= Individual Package

**DIN-RAIL-Terminal Block**

Part No.: **A31043**

DRW:	Jason	CHKD	Wilson	MATL:	Wilson	TOLERANCE	Mason	DATE	06.11.2014
APPD:	Schumi			FINISH	Jamy		Sheet No.		2 from 2

Customer:

