

EDCON-COMPONENTS



Technical Discription

Electrical

Rated Voltage	500Volt
Rated Current	32A
Solid Wire Range	0,2 ~ 4,0mm ²
Stranded Wire Range	0,2 ~ 2,5mm ²
Dimension	
Length	67mm
Thickness	5,2mm
Height	62mm
Rail-Type	U35-7.5
Screw	M3
Non Isolation Area	8mm

DIN-RAIL-Terminal Block

Part No.: **A31044**

DRW:	Jason	CHKD	Wilson	MATL:	Wilson	TOLERANCE	Mason	DATE	06.11.2014	Customer:
APPD:	Schumi			FINISH	Jamy		Sheet No.	1 from 2		

EDCON-COMPONENTS



Ordering Informations

Serie	No. of Pos.	Body Color	Screw Type	ROHS	Packing					
A31044	01	GY	A	R	BU					

01= Number of Pos.	GY= Gray (Standard)	A= Slotted Screw Type (Standard)	R= ROHS Conform	BU= Bulk-Ware
			N= NON ROHS Conform	

DIN-RAIL-Terminal Block
Part No.: A31044
Customer:

DRW:	Jason	CHKD	Wilson	MATL:	Wilson	TOLERANCE	Mason	DATE	06.11.2014
APPD:	Schumi			FINISH	Jamy		Sheet No.		2 from 2

