


EDCON-COMPONENTS



Technical Discription

Voltage Rating: 5A/250VAC T105

Approval 


Voltage Rating: 2,5A / 250VAC

Approval 


Insulation Resistance: 1000MΩ (min) 500VDC

Dielectric withstand Voltage: 2500VAC 5s between Terminals


Drawing



PCB Layout



Panel Cutout



AC-Power Connector

Part No.: **T11007**


Customer:

DRW:	Jason	CHKD	Wilson	MATL:	Wilson	TOLERANCE	Mason	DATE	03.08.2016
APPD:	Schumi			FINISH	Jamy		Sheet No.	1 from 3	

www.edcon-components.com

email: info@edcon-components.com

EDCON-COMPONENTS



Ordering Informations

Serie	Body Colour	Panel Thickness A	Dimension D	Spezial Function	Spezial Function	Spezial Function	ROHS	Packing		
T11007	BK	A	1	N	N	N	R	BU		


BK= Black	A= 0,8mm	1= D=1,3mm	N= No function	N= No function	N= No function	R= ROHS Conform	BU= Bulk-Ware
WH= White	B= 1,0mm	2= D=1,7mm					IV= Individual Package
RD= Red	C= 1,5mm						
YE= Yellow	D= 2,0mm						
GN= Green							
BL= Blue							

AC-Power Connector

Part No.: **T11007**


Customer:

DRW:	Jason	CHKD	Wilson	MATL:	Wilson	TOLERANCE	Mason	DATE	03.08.2016
APPD:	Schumi			FINISH	Jamy		Sheet No.		2 from 3



Soldering Profile Curve

Classification Reflow Profile (JEDEC J-STD-020C)



AC-Power Connector	
Part No.:	T11007
Customer:	

DRW:	Jason	CHKD	Wilson	MATL:	Wilson	TOLERANCE	Mason	DATE	03.08.2016
APPD:	Schumi			FINISH	Jamy		Sheet No.		3 from 3