

EDCON-COMPONENTS




Specifications

| | |
|------------------------|-----------------|
| Switch Rating: | 2A/36VDC |
| Contact Configuration: | 1NO |
| Operating Type: | Momentary |
| IP-Degree: | IP65 / IK08 |
| Crust Material: | Look order Code |
| Terminal Type: | Look order Code |
| Switching: | ON (Momentary) |
| Contact Resistance: | ≤ 50mΩ |
| Insulation Resistance: | ≥ 1000MΩ |
| Dielectric Strength: | 2000VAC |
| Operating Temperature: | . -20°C ~ +55°C |
| Mechanical Life: | 500.000 cycles |
| Electrical Life: | 50.000 cycles |
| Panel Thickness: | 1 ~ 6mm |
| Nut Torque: | 5 ~ 14Nm |
| Operating Pressure: | About 5N |
| Operating Distance: | About 1,5Nm |
| Operating Stroke: | About 2,0mm |

Material

| | |
|--------------|--------------------|
| Contact: | Silver Alloy |
| Button: | Look order Code |
| Body: | Look order Code |
| Base: | PA66 |
| ROHS: | Made by Order-Code |

Drawing



12MM Anti-Vandal-Switch

Part No.: **Q36048-**

Customer:

| | | | | | | | | | |
|-------|--------|------|--------|--------|--------|-----------|-----------|------|------------|
| DRW: | Jason | CHKD | Wilson | MATL: | Wilson | TOLERANCE | Mason | DATE | 18.06.2017 |
| APPD: | Schumi | | | FINISH | Jamy | | Sheet No. | | 1 from 3 |

EDCON-COMPONENTS



Visual Effect of Surface



Nickel - plated brass
(Satin surface)



Stainless steel (Spiral surface)



Gold - plated brass (Satin surface)



G=Gray




B=Black




W=White

Engraving Options




Order Code


A4




A3



A2




A1




Order Code


A8




A7



A6




A5




Order Code


B3




B2



B1




A9




Order Code


Bx



Bx



B5



B4

12MM Anti-Vandal-Switch

Part No.: **Q36048-**

| | | | | | | | | | | |
|-------|--------|------|--------|--------|--------|-----------|-----------|------|------------|-----------|
| DRW: | Jason | CHKD | Wilson | MATL: | Wilson | TOLERANCE | Mason | DATE | 18.06.2017 | Customer: |
| APPD: | Schumi | | | FINISH | Jamy | | Sheet No. | | 2 from 3 | |

EDCON-COMPONENTS



Ordering Information

| Serie | Front Shape | Contact Structure | Lamp Type | Connect Type | Knob Color | Lamp Voltage | Crust Material | Engraving Options | ROHS | Packing Style |
|----------------|-------------|-------------------|-----------|--------------|------------|--------------|----------------|-------------------|----------|---------------|
| Q36048- | F | 10 | N | 1 | A | 0 | N | XX | R | N |

| | | | | | | | | | |
|----------------|----------------|-----------------------|-----------------------------------|------------------------|-------------------|-------------------------------|--|----------------------------|------------------------------|
| | 10= 1NO | N= no Function | 1= Solder Lug 2,0x0,4mm | A= Same us Body | 0= without | S= Stainless Steel | XX= w/o other Look Order Code Engraving Options | R= ROHS Conform | N= White Carton |
| F= Flat | | | | | | N= Nickel Plated Brass | | N= NON ROHS Conform | I= Individual Packing |
| | | | | | | G= Gold Plated Brass | | | |
| | | | | | | | | | |
| | | | | | | | | | |
| | | | | | | | | | |
| | | | | | | | | | |
| | | | | | | | | | |

| | |
|--------------------------------|----------------|
| 12MM Anti-Vandal-Switch | |
| Part No.: | Q36048- |
| Customer: | |

| | | | | | | | | | |
|-------|--------|------|--------|--------|--------|-----------|-----------|------|------------|
| DRW: | Jason | CHKD | Wilson | MATL: | Wilson | TOLERANCE | Mason | DATE | 18.06.2017 |
| APPD: | Schumi | | | FINISH | Jamy | | Sheet No. | | 3 from 3 |