


# EDCON-COMPONENTS





## Specifications

Voltage Rating:	250 VAC/DC
Current Rating:	5A AC/DC
Operating Temperature:	-25°C to +85°C
Contact Resistance:	10 mΩ
Withstanding Voltage:	1500V AC/Minute
Insulation Resistance:	1000MΩ min.
Material Housing:	Nylon 6T UL94V-0
Pin-Material:	Brass
Color of Body:	Natural

## Drawing ( dimensions all into mm)

## P.C.B. Layout




Wafer Serie T68Jxxxx Pitch 3,96mm
Part No.: <b>T68J015-</b>
Customer:

DRW:	Jason	CHKD	Wilson	MATL:	Wilson	TOLERANCE	Mason	DATE	14.04.2017
APPD:	Schumi			FINISH	Jamy		Sheet No.		1 from 4



# EDCON-COMPONENTS



## Ordering Informations


Serie	Number of Pos.	Contact Plating	Color of Body	Special function	Packing					
-------	----------------	-----------------	---------------	------------------	---------	--	--	--	--	--

<b>T68J015-</b>	<b>02</b>	<b>TN</b>	<b>NA</b>	<b>N</b>	<b>BU</b>					
-----------------	-----------	-----------	-----------	----------	-----------	--	--	--	--	--

<b>02 = 2Pos.</b>	<b>TN= tinned</b>	<b>NA= Natural</b>	<b>N= No special function</b>	<b>BU= Bulk-ware</b>					
<b>xx = xxPos like table</b>	<b>GF= Gold flash</b>								


Wafer Serie T68Jxxxx Pitch 3,96mm
Part No.: <b>T68J015-</b>
Customer:

DRW:	Jason	CHKD	Wilson	MATL:	Wilson	TOLERANCE	Mason	DATE	14.04.2017
APPD:	Schumi			FINISH	Jamy		Sheet No.		3 from 4



Soldering Profile Curve

Classification Reflow Profile (JEDEC J-STD-020C)



Wafer Serie T68Jxxxx Pitch 3,96mm
Part No.: <b>T68J015-</b>
Customer:

DRW:	Jason	CHKD	Wilson	MATL:	Wilson	TOLERANCE	Mason	DATE	14.04.2017
APPD:	Schumi			FINISH	Jamy		Sheet No.	4 from 4	