



EDCON-COMPONENTS



Specifications

Specifications	No
Material	ABS / Black
Isolator Material	Porn / Black
Material of 0,4x5,3	C5191
Material of 4,5x9,0X3,5	C3604
Material of 3,52x13,7x2,6	H65
Material of 3,45x18,3x1,8	H65
Material of 3,18x25,6x1,1	C3604
Withstanding Voltage:	AC500V / 0,5A 1Min max.
Isolation Resistance:	DC500V 100MΩ min
O-Temp-Range:	.-25°C to +85°C
Lifetime:	10000 cycles
Material:	UL94v-0
Operating Force:	3~30N
Working Voltage:	50V
Power:	72W
Contact Surface:	like Ordering Code



4Pos. 3,5mm PCB Mounting Jack

Part No.: **T13I002**

DRW:	Jason	CHKD:	Wilson	MATL:	Wilson	TOLERANCE	Mason	DATE	13.08.2025	Customer:
APPD:	Schumi			FINISH	Jamy		Sheet No.	1 from 3		

www.edcon-components.com


email: info@edcon-components.com

Copyright by S.Tiede

EDCON-COMPONENTS



Drawing (dimensions all into mm)



4Pos. 3,5mm PCB Mounting Jack

Part No.: T13I002

Customer:

DRW:	Jason	CHKD	Wilson	MATL:	Wilson	TOLERANCE	Mason	DATE	13.08.2025
APPD:	Schumi			FINISH	Jamy		Sheet No.	2 from 3	

www.edcon-components.com

email: info@edcon-components.com

Copyright by S.Tiede



EDCON[®]
COMPONENTS
A MEMBER OF EDCON-GROUP

Serie	Isolator Colour	Contact Surface	Special function	Special function	ROHS	Packing				
-------	--------------------	--------------------	---------------------	---------------------	------	---------	--	--	--	--

[illegible]

4Pos. 3,5mm PCB Mounting Jack

Part No.: **T13I002**

DRW:	Jason	CHKD	Wilson	MATL:	Wilson	TOLERANCE	Mason	DATE	13.08.2025	Customer:
APPD:	Schumi			FINISH	Jamy		Sheet No.		3 from 3	

www.edcon-components.com

email: info@edcon-components.com