



EDCON-COMPONENTS



Drawing




Technical Description

Fuse-Type	Glass / Ceramic
Fuse:	6,3x32mm
Rated Current:	max ~ 30A
Rated Voltage:	300VAC
Material Terminal	Brass tin plated
Material:	P.B.T
Soldering Temperature:	240°C
Approval:	

Faston Fuse Holder 6,3x32mm	
Part No.:	R53103
Customer:	

DRW:	Jason	CHKD	Wilson	MATL:	Wilson	TOLERANCE	Mason	DATE	10.03.2026
APPD:	Schumi			FINISH	Jamy		Sheet No.		1 from 3

EDCON-COMPONENTS




Ordering Informations

Serie	Spezial Function	Spezial Function	ROHS	Packing						
R53103	0	0	R	BU						

0 = No function	0 = No function	R = ROHS Conform	BU = Bulk-Ware


Faston Fuse Holder 6,3x32mm
Part No.: R53103
Customer:

DRW:	Jason	CHKD	Wilson	MATL:	Wilson	TOLERANCE	Mason	DATE	10.03.2026
APPD:	Schumi			FINISH	Jamy		Sheet No.	2 from 3	



Soldering Profile Curve

Classification Reflow Profile (JEDEC J-STD-020C)



Faston Fuse Holder 6,3x32mm	
Part No.:	R53103
Customer:	

DRW:	Jason	CHKD:	Wilson	MATL:	Wilson	TOLERANCE:	Mason	DATE:	10.03.2026
APPD:	Schumi			FINISH:	Jamy		Sheet No.		3 from 3