

Data Sheet

Screwless Terminal Block

Pitch: 10,00 mm

Serie: A11T035

Customer Information for special Item

EDCON Customer : 0

Customer Version No. : 0

EDCON-COMPONENTS



Technical Discription

Drawing (Dimension in mm)

Electrical

Standard	IEC
Rated voltage	1000V
Rated current	76A
Wire range	24-4 AWG 0.2~16mm ²
Withstanding voltage	

Mechanical



Operating temperature	-40°C ~ +105°C
Strip length	15mm

Dimensions

Pitch	7.50mm
Poles	1P - xxP

Material

Housing	PA66 (UL94V-0)
Pin header	Phosphor Bronze, Tin plated
Wire guard	Stainless steel



Screwless Terminal Block

Part No.: **A11T035**

Customer:

DRW:	Jason	CHKD	Wilson	MATL:	Wilson	TOLERANCE	Mason	DATE	05.11.2014
APPD:	Schumi			FINISH	Jamy		Sheet No.		1 from 4

EDCON-COMPONENTS



Ordering Informations

Serie	No. of Pos.	Body Color	Approval	Approval Code	ROHS	Packing	EDCON Cust. No.	Customer Version		
A11T035	02	PG	N	N	R	B				

Pitch
10,00

02= Number of Pos.		N= No Approval	N= NON Approval	R= ROHS Conform	B= Standard Package	xxxxxx= Customer Number	xxx= Customer Version ??(Printing)
Standard 2 ~ 12Pos.		1= Approval for Material	A= UL /UR Approval Please consult EDCON for available	N= NON ROHS Conform	I= Individual Package		
	PG= Phoenix Green	2= Approval for Terminal Block					
			B= VDE Approval Please consult EDCON for available				
			C= TÜV Approval Please consult EDCON for available				


Screwless Terminal Block	
Part No.:	A11T035
Customer:	

DRW:	Jason	CHKD	Wilson	MATL:	Wilson	TOLERANCE	Mason	DATE	05.11.2014
APPD:	Schumi			FINISH	Jamy		Sheet No.		3 from 4



Soldering Profile Curve

Classification Reflow Profile (JEDEC J-STD-020C)



Screwless Terminal Block

Part No.: **A11T035**

Customer:

DRW:	Jason	CHKD	Wilson	MATL:	Wilson	TOLERANCE	Mason	DATE	05.11.2014
APPD:	Schumi			FINISH	Jamy		Sheet No.	4 from 4	