



EDCON-COMPONENTS





SPECIFICATION:

Current Rating:	50mA / 12VDC
Insulator Resistance:	100 Megaohm min.
Dielectric Withstanding:	AC 250V
Operating Temperature:	.-30°C to +85°C
Travel:	0,45mm ± 0,1mm
Insulator Material:	Nylon
Cover:	PBS-Strip
Contact Plating:	Stainless Steel Silver plated
Terminal:	Brass Silver plated
Contact Resistance:	100mΩ max.

Schematic



Drawing



SMT TACT SWITCH 12,0x12,0mm

Part No.: **Q12095**


Customer:

DRW:	Jason	CHKD	Wilson	MATL:	Wilson	TOLERANCE	Mason	DATE	21.08.2018
APPD:	Schumi			FINISH	Jamy		Sheet No.	1 from 4	

www.edcon-components.com

email: info@edcon-components.com


EDCON-COMPONENTS



Knob Height Specifications (other specification on request) Layout

Knob Order Code L	Height (mm)
043	4,3mm
045	4,5mm
050	5,0mm
055	5,5mm
060	6,0mm
065	6,5mm
070	7,0mm
075	7,5mm
080	8,0mm
085	8,5mm
090	9,0mm
095	9,5mm
100	10,0mm
105	10,5mm
110	11,0mm
115	11,5mm
120	12,0mm
125	12,5mm
130	13,0mm
135	13,5mm
140	14,0mm
145	14,5mm
150	15,0mm
155	15,5mm
160	16,0mm
165	16,5mm

Knob Order Code L	Height (mm)
170	17,0mm
175	17,5mm
180	18,0mm
185	18,5mm
190	19,0mm
195	19,5mm




SMT TACT SWITCH
12,0x12,0mm

Part No.: **Q12095**

DRW:	Jason	CHKD	Wilson	MATL:	Wilson	TOLERANCE	Mason	DATE	21.08.2018
APPD:	Schumi			FINISH	Jamy		Sheet No.	2 from 4	

Customer:
email: info@edcon-components.com

EDCON-COMPONENTS



Ordering Informations

Serie	Total height w. Body	Fill with 0	Operating Force	Polarisation Peg	Electrical life	Fill with 0	ROHS	Packing		
Q12095	-	043	X	251	N	104	X	R	BU	


xxx= Look Knob Order Code L	X= no function	251= 250gr	N= without Peg	104= 100000 cycles	X= no function	N= non ROHS	BU= Bulk Ware
		331= 330gr				R= ROHS conform	
		101 = 100gr					
		161= 160gr					

**SMT TACT SWITCH
12,0x12,0mm**


Part No.: **Q12095**

DRW:	Jason	CHKD	Wilson	MATL:	Wilson	TOLERANCE	Mason	DATE	21.08.2018
APPD:	Schumi			FINISH	Jamy		Sheet No.	3 from 4	


Customer:



Soldering Profile for Lead Soldering



Soldering Profile for Lead Free Soldering



**SMT TACT SWITCH
12,0x12,0mm**

Part No.: **Q12095**

Customer:

DRW:	Jason	CHKD	Wilson	MATL:	Wilson	TOLERANCE	Mason	DATE	21.08.2018
APPD:	Schumi			FINISH	Jamy		Sheet No.	4 from 4	