

# EDCON-COMPONENTS



## Technical Discription

### 1 Material:

|                  |          |
|------------------|----------|
| Material Body:   | C2700    |
| Gold Plated:     | 16-20µm  |
| Nickel:          | 60-120µm |
| Material Needle: | C3604    |
| Gold Plated:     | 4-8µm    |
| Nickel:          | 60-120µm |
| Spring:          | SUS304   |
| Body:            | PA46     |


### 2 Mechanical Properties

|                 |           |
|-----------------|-----------|
| Pitch:          | 2,54mm    |
| Working height: | 4,2~4,5mm |
| Elastic:        | 85 ± 15g  |


Lifetime:more than 10000 times

### 3 Electrical Performance:

|                              |  |
|------------------------------|--|
| 4 Isolation Resistance:      | 500M Ohm min.  |
| Withstanding Voltage:        | 500VAC/DC  |
| Max.Rated Voltage:           | 36VDC dynamic range of work with impedance less than |
| Contact Resistance:          | <30m Ohm   |
| Rated current:               | 2,5A   |
| 5 Packing Specification:     | EIA 481  |
| 6 Max.Soldering Temperature: | 260°C  |
| Operating Temperature:       | -.40°C to +85°C                                      |



## Drawing




## 2 POGO PIN with Plastic

Part No.: TA23B3015


Customer:

|       |        |      |        |        |        |           |       |      |            |
|-------|--------|------|--------|--------|--------|-----------|-------|------|------------|
| DRW:  | Jason  | CHKD | Wilson | MATL:  | Wilson | TOLERANCE | Mason | DATE | 22.11.2017 |
| APPD: | Schumi |      |        | FINISH | Jamy   | Sheet No. |       |      | 1 from 3   |

# EDCON-COMPONENTS



## PCB Layout ( mm)



## Ordering Informations


| Serie     | Number of Position | Material Body | Material Needle | Contact Plat. Body | Contact Plat. Needle | Spezial Function | ROHS | Packing |  |  |
|-----------|--------------------|---------------|-----------------|--------------------|----------------------|------------------|------|---------|--|--|
| TA23B3015 | 02                 | A             | A               | G0                 | G0                   | N                | R    | BU      |  |  |

|                 |                   |                   |                            |                         |                |                 |                        |
|-----------------|-------------------|-------------------|----------------------------|-------------------------|----------------|-----------------|------------------------|
| 02= Single Pole | A= Material C3604 | A= Material C3604 | G0= Gold Flash <16-20µinch | G0= Gold Flash 4-8µinch | N= No function | R= ROHS Conform | BU= Bulk-Ware Standard |
|                 | B= Material C2700 | B= Material C2700 |                            |                         |                |                 |                        |
|                 |                   |                   | NO= Nickel 60-120µinch     | NO= Nickel 60-120µinch  |                |                 | TR= Tape Reel          |

**2 POGO PIN with Plastic**

Part No.: TA23B3015

|       |        |      |        |        |        |           |           |          |            |           |
|-------|--------|------|--------|--------|--------|-----------|-----------|----------|------------|-----------|
| DRW:  | Jason  | CHKD | Wilson | MATL:  | Wilson | TOLERANCE | Mason     | DATE     | 22.11.2017 | Customer: |
| APPD: | Schumi |      |        | FINISH | Jamy   |           | Sheet No. | 2 from 3 |            |           |



Soldering Profile Curve

Classification Reflow Profile (JEDEC J-STD-020C)



|                                |
|--------------------------------|
| <b>2 POGO PIN with Plastic</b> |
| Part No.: <b>TA23B3015</b>     |
| Customer:                      |

|       |        |      |        |        |        |           |           |          |            |
|-------|--------|------|--------|--------|--------|-----------|-----------|----------|------------|
| DRW:  | Jason  | CHKD | Wilson | MATL:  | Wilson | TOLERANCE | Mason     | DATE     | 22.11.2017 |
| APPD: | Schumi |      |        | FINISH | Jamy   |           | Sheet No. | 3 from 3 |            |