


# EDCON-COMPONENTS



## Technical Discription

Fuse-Type: SMD-Fuse  
 Fuse:  
 Rated Current: max ~ 10A  
 Rated Voltage: 250VAC  
 Material Cap: E1130/H62  
 Material: E1130/H62  
 Soldering Temperature: 240°C  
 Approval:

## Drawing



<b>THT PCB Fuse Holder</b>	
Part No.:	<b>R53072</b>
Customer:	

DRW:	Jason	CHKD:	Wilson	MATL:	Wilson	TOLERANCE:	Mason	DATE:	10.03.2026
APPD:	Schumi			FINISH:	Jamy		Sheet No.		1 from 3

[www.edcon-components.com](http://www.edcon-components.com)

email: [info@edcon-components.com](mailto:info@edcon-components.com)

# EDCON-COMPONENTS



## Ordering Informations

Serie	Spezial Function	Spezial Function	ROHS	Packing						
<b>R53072</b>	<b>0</b>	<b>0</b>	<b>R</b>	<b>BU</b>						

<b>0</b> = No function	<b>0</b> = No function	<b>R</b> = ROHS Conform	<b>BU</b> = Bulk-Ware


<b>THT PCB Fuse Holder</b>	
Part No.:	<b>R53072</b>
Customer:	

DRW:	Jason	CHKD	Wilson	MATL:	Wilson	TOLERANCE	Mason	DATE	10.03.2026
APPD:	Schumi			FINISH	Jamy		Sheet No.	2 from 3	



Soldering Profile Curve

Classification Reflow Profile (JEDEC J-STD-020C)



<b>THT PCB Fuse Holder</b>	
Part No.:	<b>R53072</b>
Customer:	

DRW:	Jason	CHKD:	Wilson	MATL:	Wilson	TOLERANCE:	Mason	DATE:	10.03.2026
APPD:	Schumi	FINISH:	Jamy			Sheet No.:	3 from 3		