

EDCON-COMPONENTS



Technical Discription


Drawing

Fuse-Type: Pluggable Fuse
 Fuse: TR5

 Rated Current: max ~ 6,3A
 Rated Voltage: 250VAC

 Material Cap: PA66/PC/H62
 Material: PA66/PC/H62
 Soldering Temperature: 240°C

 Approval:



THT PCB Fuse Holder	
Part No.:	R53091
Customer:	

DRW:	Jason	CHKD:	Wilson	MATL:	Wilson	TOLERANCE:	Mason	DATE:	10.03.2026
APPD:	Schumi			FINISH:	Jamy		Sheet No.		1 from 3

www.edcon-components.com

email: info@edcon-components.com

EDCON-COMPONENTS



Ordering Informations

Serie	Spezial Function	Spezial Function	ROHS	Packing						
R53091	0	0	R	BU						

0 = No function	0 = No function	R = ROHS Conform	BU = Bulk-Ware


THT PCB Fuse Holder	
Part No.:	R53091
Customer:	

DRW:	Jason	CHKD	Wilson	MATL:	Wilson	TOLERANCE	Mason	DATE	10.03.2026
APPD:	Schumi			FINISH	Jamy		Sheet No.	2 from 3	



Soldering Profile Curve

Classification Reflow Profile (JEDEC J-STD-020C)



THT PCB Fuse Holder	
Part No.:	R53091
Customer:	

DRW:	Jason	CHKD:	Wilson	MATL:	Wilson	TOLERANCE:	Mason	DATE:	10.03.2026
APPD:	Schumi	FINISH:	Jamy			Sheet No.:			3 from 3