





EDCON-COMPONENTS





Technical Description

Curent Rating:	23A AC/DC
Voltage Rating:	600V AC/DC
Contact Resistance:	10mΩ max.
Withstanding Voltage:	2200VAC/ DC
Insulation Resistance:	1000MΩ Min
Operating Temperature:	.-40°c to + 105°C
Contact Material:	High Conductive Copper Alloy
Contact Plating:	Matte SN over Ni
Insulator Material:	LCP + 30%G.F UL94V-0
Available Pos.	2 to 8Pos
Pin Dimension:	1,08mm Square Pin

Drawing



PCB Layout (mm)




Circuits	2	N
Dim. A	N/A	2,85x N -5,7
Dim. B	8,34	2,85x N +0,65
Dim. C	12,34	2,85x N +4,64
Dim. D	7,67	6,7
Dim. E	6,17	5,17

**Wire to Board Connector
(Wafer) Straight Pin with Look
Dual Row**

Part No.: **T68X003**


DRW:	Jason	CHKD	Wilson	MATL:	Wilson	TOLERANCE	Mason	DATE	06.06.2021
APPD:	Schumi			FINISH	Jamy		Sheet No.	1 from 4	Customer:

EDCON-COMPONENTS




Dimension (mm)

2 CKTS




4 CKTS




6 CKTS




8 CKTS



10 CKTS



12 CKTS



Wire to Board Connector
(Wafer) Straight Pin with Look
Dual Row


Part No.: **T68X003**

DRW:	Jason	CHKD	Wilson	MATL:	Wilson	TOLERANCE	Mason	DATE	06.06.2021
APPD:	Schumi			FINISH	Jamy		Sheet No.	2 from 4	Customer:

www.edcon-components.com

email: info@edcon-components.com

EDCON-COMPONENTS



Ordering Informations

Serie	No. Of Position	Contact Plating	Contact Material	Color of Body	Special Function	Special Function	ROHS	Packing		
T68X003	04	TN	CA	BK	N	N	R	BU		


04= 2x2Pos.	TN= tinned	CA= Copper Alloy		N= No Function	N= No Function	R= ROHS Conform	BU= Bulk-Ware
2x2 ~ 2x6Pos.			BK= Black			N= NON ROHS Conform	
							IV= Individual Packing

**Wire to Board Connector
(Wafer) Straight Pin with Look
Dual Row**

Part No.: **T68X003**


DRW:	Jason	CHKD	Wilson	MATL:	Wilson	TOLERANCE	Mason	DATE	06.06.2021
APPD:	Schumi			FINISH	Jamy			Sheet No.	3 from 4

Customer:



Soldering Profile Curve

Classification Reflow Profile (JEDEC J-STD-020C)



Wire to Board Connector
(Wafer) Straight Pin with Look
Dual Row

Part No.: **T68X003**

Customer:

DRW:	Jason	CHKD	Wilson	MATL:	Wilson	TOLERANCE	Mason	DATE	06.06.2021
APPD:	Schumi			FINISH	Jamy		Sheet No.	4 from 4	