



DATA SHEET

4mm Golden Connector Female (Panel)

Serie: T97071

4mm Golden Connector
Female (Panel)

T97071

DRW:	Jason	CHKD	Wilson	MATL:	Wilson	TOLERANCE	Mason	DATE	24.04.2025
APPD:	Schumi			FINISH	Jamy		Sheet No.		1 from 3


Customer:

EDCON-COMPONENTS



Technical Description

Metal Material: Copper Plated
 Instantaneous Current: 24A
 Recommend wire Gauge: 16AWG
 Rated Current: 16A
 Insulation Material: ABS
 Contact Resistance: 0,45mΩ
 Operating Temperature: -20°C to +120°C
 Rated Voltage: 30VAC / 60VDC
 Recommend usage: 1000 Times
 Flame Retardant rating: UL94V-0
 Thread size: M4



we need it with this 2mm Hole



**4mm Golden Connector
Female (Panel)**

Part No.: **T97071**

Customer:

DRW:	Jason	CHKD:	Wilson	MATL:	Wilson	TOLERANCE	Mason	DATE	24.04.2025	Customer:
APPD:	Schumi			FINISH	Jamy		Sheet No.		2 from 3	

www.edcon-components.com

email: info@edcon-components.com

Copyright by S.Tiede

EDCON-COMPONENTS



Ordering Informations

EDCON-Serie	Body Colour	Special function	Special function	ROHS	Packing Code					
T97071	YE	N	N	R	BU					

YE= Yellow	YE= Yellow	N= No special function	R= ROHS Conform	BU= Bulk-Ware
GN= Green			N= NON ROHS Conform	TY= Tray Package
BL= Blue				
BK= Black				
RD= Red				
YG= Yellow/Green				



4mm Golden Connector Female (Panel)	
Part No.:	T97071
Customer:	

DRW:	Jason	CHKD	Wilson	MATL:	Wilson	TOLERANCE	Mason	DATE	24.04.2025
APPD:	Schumi			FINISH	Jamy		Sheet No.	3 from 3	

www.edcon-components.com

email: info@edcon-components.com