


EDCON-COMPONENTS





SPECIFICATION:

Circuit: 2P3T
 Function: Momentary
 Current Rating: 50mA
 Voltage Rating: 50 VDC
 Dielectric withstanding Volt: 250VAC for 1 minute
 Contact Resistance: 100m Ω max.
 Insulation resistance: 100M Ω min.
 Operating Force: 250gr. +/- 100gr
 Total travel: 3,3mm +/- 0,1mm
 Lifetime: 10.000cycles
 Operating Temperature: -10°C ~ +60°C


Material:
 1 = Knob PA66 / Colour Black
 2 = Frame Steel Sheet / Ni Plated
 3 = Base Pnenolic Resin / Natural
 4= Terminal Brass / Ag Plated
 5= Contact Clip PBS / Ag Clad
 6= Spring SUS / Natural
 7= Steel Ball SUS / Natural

Drawing / Dimensions (mm)






					Tolerances unless otherwise specified (mm)					THT SLIDE SWITCH
					x	x.x	x.xx	x.xxx	Angle	
					±	±	±	±	±3°	
DRW:	Jason	CHKD	Wilson	MATL:	Wilson	TOLERANCE	Mason	DATE	14.09.2019	Part No.: Q13282
APPD:	Schumi			FINISH	Jamy			Sheet No.	1 from 4	Customer:

EDCON-COMPONENTS



P.C.B Layout (mm)

Circuit



THT SLIDE SWITCH

Part No.: **Q13282**


Customer:

DRW:	Jason	CHKD	Wilson	MATL:	Wilson	TOLERANCE	Mason	DATE	14.09.2019
APPD:	Schumi			FINISH	Jamy		Sheet No.	2 from 4	

www.edcon-components.com

email: info@edcon-components.com

EDCON-COMPONENTS



Ordering Informations

Serie	Knob Type	Knob Height	Circuit	Solder Pin Length	Special function	Special function	Special function	ROHS	Packing
Q13282	GF	05	C1	25	N	N	N	R	BU

	05= Length= 5mm			E0= No function	F0= No function	G0= No function	R= ROHS conform	BU= Bulk Ware
GF= Type	XX= Length= xxmm	C1 = Non Shorting	25= Length 2,5mm				N= Non ROHS	TY= Tray Packing
			XX= Length xxmm					
								IV= Individual Packing

THT SLIDE SWITCH


Part No.: **Q13282**

Customer:

DRW:	Jason	CHKD	Wilson	MATL:	Wilson	TOLERANCE	Mason	DATE	14.09.2019
APPD:	Schumi			FINISH	Jamy		Sheet No.		3 from 4

www.edcon-components.com


email: info@edcon-components.com



Soldering Profile for Lead Free Soldering

Soldering Profile for Reflow Soldering

Classification Reflow Profile (JEDEC J-STD-020C)

**THT SLIDE SWITCH**Part No.: **Q13282**

Customer:

DRW:	Jason	CHKD	Wilson	MATL:	Wilson	TOLERANCE	Mason	DATE	14.09.2019
APPD:	Schumi			FINISH	Jamy		Sheet No.	4 from 4	