


EDCON-COMPONENTS




SPECIFICATION:

Current Rating:	0,5 Ampere
DC- Voltage	50 VDC
Dielectric Withstanding:	AC 500V
Operating Temperature:	.-40°C to +105°C
Function:	1P2T
Timing:	Non-Shorting / Shorting
Contact Resistance:	30m Ω max.
Insulation Resistance:	100M Ω min at 500VDC
Life Test:	10000 cycles

Material of Switch

Board:	1 Phenolic Resin (Nature)
Contact Clip:	1 PBS Strip (Nature)
Frame:	1 Iron Strip (Ni plated)
Terminal:	3 Brass Strip (Ag Plated)
Knob:	1 POM (Black)




Circuit


Knop Type




Type A




Type B




Type C




Type D




Type E




Type F




Type G




Type H




Type I




Type J




Type K



Type L



Type M



Type N

THT Slide-Switch

Part No.: **Q13103**

Customer:

DRW:	Jason	CHKD	Wilson	MATL:	Wilson	TOLERANCE	Mason	DATE	19.06.2011
APPD:	Schumi			FINISH	Jamy		Sheet No.		1 from 4

www.edcon-components.com



email: info@edcon-components.com



EDCON®
COMPONENTS
A MEMBER OF EDCON-GROUP

Technical drawing of a mechanical part, likely a bracket or support, showing dimensions and callouts:

- Overall width: 10.5
- Overall height: 7.2
- Top flange thickness: 0.5
- Top flange width: 5.0
- Top flange inner width: 4.8
- Top flange travel: 3.2 TRAVEL
- Callout 1: Points to the top flange.
- Callout 2: Points to the bottom flange.
- Callout 3: Points to the side flange.
- Bottom flange width: 5.0
- Bottom flange inner width: 4.8
- Bottom flange travel: 3.2 TRAVEL
- Bottom flange thickness: 1.7
- Bottom flange holes: 3- $\phi 1.0$
- Bottom flange hole spacing: 4.0
- Bottom flange hole diameter: $\phi 1.0$

Part No.: **Q13103**

Customer:


DRW:	Jason	CHKD	Wilson	MATL:	Wilson	TOLERANCE	Mason	DATE	19.06.2011
APPD:	Schumi			FINISH	Jamy		Sheet No.		2 from 4

www.edcon-components.com

email: info@edcon-components.com

Copyright by EDCON-COMPONENTS

EDCON-COMPONENTS



Ordering Informations

Serie	Knob Type	Knob Length	Circuit	Special function A	Special function B	ROHS	Packing			
Q13103	A	02	N	N	N	R	BU			

A= Type A	02= Length L=2,0mm	N= Non Shorting	N= No function	N= No function	R= ROHS Conform	BU= BULK- WARE
	L=2 ~ 15mm	S= Shorting			N= NON ROHS Conform	IV= Individual Package
	L+M only 7~16mm					

THT Slide-Switch

Part No.: **Q13103**

DRW:	Jason	CHKD	Wilson	MATL:	Wilson	TOLERANCE	Mason	DATE	19.06.2011
APPD:	Schumi			FINISH	Jamy		Sheet No.		3 from 4

Customer: email: info@edcon-components.com

www.edcon-components.com

Copyright by EDCON-COMPONENTS

EDCON-COMPONENTS

