


EDCON-COMPONENTS






Technical Discription


Voltage Rating: 5A/250VAC T105
 Approval
 Voltage Rating: 2,5A / 250VAC
 Voltage Rating:
 Approval
 Insulation Resistance: 1000MΩ (min) 500VDC
 Dielectric withstand Voltage: 2500VAC 5s between Terminals




Drawing



PCB Layout



Panel Cutout



AC-Power Connector

Part No.: T11008


DRW:	Jason	CHKD:	Wilson	MATL:	Wilson	TOLERANCE:	Mason	DATE:	03.08.2016
APPD:	Schumi			FINISH:	Jamy		Sheet No.		1 from 3

Customer:

www.edcon-components.com

email: info@edcon-components.com

EDCON-COMPONENTS



Ordering Informations

Serie	Body Colour	Panel Thickness A	Dimension D	Spezial Function	Spezial Function	Spezial Function	ROHS	Packing		
T11008	BK	A	1	N	N	N	R	BU		

BK = Black	A = 0,8mm	1 = D=1,3mm	N = No function	N = No function	N = No function	R = ROHS Conform	BU = Bulk-Ware
WH = White	B = 1,0mm	2 = D=1,7mm					IV = Individual Package
RD = Red	C = 1,5mm						
YE = Yellow	D = 2,0mm						
GN = Green							
BL = Blue							

AC-Power Connector


Part No.: **T11008**

Customer:

DRW:	Jason	CHKD	Wilson	MATL:	Wilson	TOLERANCE	Mason	DATE	03.08.2016
APPD:	Schumi			FINISH	Jamy		Sheet No.	2 from 3	


www.edcon-components.com

email: info@edcon-components.com



Soldering Profile Curve

Classification Reflow Profile (JEDEC J-STD-020C)

**AC-Power Connector**Part No.: **T11008**

Customer:

DRW:	Jason	CHKD	Wilson	MATL:	Wilson	TOLERANCE	Mason	DATE	03.08.2016
APPD:	Schumi			FINISH	Jamy		Sheet No.	3 from 3	