


EDCON-COMPONENTS




Technical Discription

Voltage Rating: 5A/250VAC T105
 Approval
 Voltage Rating: 2,5A / 250VAC
 Voltage Rating:
 Approval
 Insulation Resistance: 1000MΩ (min) 500VDC
 Dielectric withstand Voltage: 2500VAC 5s between Terminals





Drawing



PCB Layout

Panel Cutout



AC-Power Connector


Part No.: **T11016**

DRW:	Jason	CHKD:	Wilson	MATL:	Wilson	TOLERANCE	Mason	DATE	03.08.2016	Customer:
APPD:	Schumi			FINISH	Jamy		Sheet No.	1 from 3		

www.edcon-components.com

email: info@edcon-components.com

EDCON-COMPONENTS



Ordering Informations

Serie	Body Colour	Panel Thickness A	Dimension D	Spezial Function	Spezial Function	Spezial Function	ROHS	Packing		
T11016	BK	N	N	N	N	N	R	BU		

BK = Black	N = No function	N = No function	N = No function	N = No function	N = No function	R = ROHS Conform	BU = Bulk-Ware
WH = White	A = 0,8mm						
RD = Red	B = 1,0mm						IV = Individual Package
YE = Yellow	C = 1,5mm						
GN = Green	D = 2,0mm						
BL = Blue							

AC-Power Connector


Part No.: **T11016**

Customer:

DRW:	Jason	CHKD	Wilson	MATL:	Wilson	TOLERANCE	Mason	DATE	03.08.2016
APPD:	Schumi			FINISH	Jamy		Sheet No.	2 from 3	


www.edcon-components.com

email: info@edcon-components.com



Soldering Profile Curve

Classification Reflow Profile (JEDEC J-STD-020C)

**AC-Power Connector**Part No.: **T11016**

Customer:

DRW:	Jason	CHKD	Wilson	MATL:	Wilson	TOLERANCE	Mason	DATE	03.08.2016
APPD:	Schumi			FINISH	Jamy		Sheet No.	3 from 3	