

EDCON-COMPONENTS



SPECIFICATION:

Electrical:

Current Rating:	3A/250VAC, 6A/125VAC
Contact Resistance:	$\leq 50\text{m}\Omega$
Insulator Resistance:	$\geq 1000\text{ M}\Omega$
Dielectric Withstanding:	1500VAC/minutes
Operating Temperature:	-10°C to $+85^{\circ}\text{C}$
Ambient Temperature:	-10°C to $+85^{\circ}\text{C}$
Mechanical Life:	≥ 30000 cycles
Electrical Life:	≥ 10000 cycles
Ambient Humidity:	Max. 85%
Operating Force:	3~8N (depend on switch function)

Material



Base:	PA66
Button:	PA66 / PC
Contact:	compound silver
Terminal:	Brass (tin plated)
Terminal Exotherm:	Max. 30°
Terminal Solderability:	below 350°C , and no more than 3 seconds, (don't put pressure in terminal when weld by hand)

Approvals

TÜV, CE, ROHS

Consult EDCON for details or approved model

Drawing



Dimension (mm)		
Z	Y	
0,7~1,25	13,9 / -0,1	
1,25~2,0	14,3 / -0,1	
2,0~3,0	14,7 / -0,1	

Rocker Switch Panel Cut Out 13x9,1mm

Part No.: **Q17069**

Customer:


DRW:	Jason	CHKD	Wilson	MATL:	Wilson	TOLERANCE	Mason	DATE	07.08.2014
APPD:	Schumi			FINISH	Jamy		Sheet No.	1 from 3	

www.edcon-components.com

email: info@edcon-components.com

EDCON-COMPONENTS



Circuit Diagramm		Illuminated		Base Colour		Actuator Colour		Actuator Type			
Code		Code		Code		Code		Code		Code	
01	ON-ON			B	Black	B	Black	01		15	
02				G	Grey	E	Green				
03				E	Green	R	Red	02			
04				U	Blue	O	Orange				
05				W	White	W	White	03			
06				Y	Vitellus	Y	Vitellus				
07				I	Beige	I	Beige	04			
08				L	Light Blue	L	Light Blue				
			N	Brown	U	Blue	05				
SCHEMATIC 3P ON-ON 					G	Grey					
					N	Nacarar	06				
					T	Transparent					
					N	Brown	07				
							08				
							09				
							10				
							11				
							12				
							13				
			14								
											Rocker Switch Panel Cut Out 13x9,1mm
											Part No.: Q17069
DRW:	Jason	CHKD	Wilson	MATL:	Wilson	TOLERANCE	Mason	DATE	07.08.2014		Customer:
APPD:	Schumi			FINISH	Jamy		Sheet No.		2 from 3		

A black 3D-printed component featuring a sliding switch on top. The switch has a white circle and a white line. Below the switch, there are three metal pins extending downwards. The component is labeled "NO. 2017-10-10" on its side.



EDCON[®]
COMPONENTS
A MEMBER OF EDCON-GROUP

Actuator Printing (Create by yourself when need other symbol)

Code						Code			Code			Code		
01			15			A0			A14			A28		
02			16			A1	0	I	A15			A29		
03			17			A2	O	—	A16			A30		
04			18			A3	ON	OFF	A17	┘	⋈	A31		
05	PCB					A4	NO	FFO	A18			A32		
06						A5	ON	OFF	A19			A33		
07						A6	┘	I	A20			A34		
08						A7	•		A21			A35		
09						A8		•	A22			A36		
10						A9	•	•	A23			A37		
11						A10			A24			A38		
12						A11			A25			A39		
13						A12			A26			Rocker Switch Panel Cut Out 13x9,1mm		
14						A13			A27					

DRW:	Jason	CHKD	Wilson	MATL:	Wilson	TOLERANCE	Mason	DATE	07.08.2014	Customer:
APPD:	Schumi			FINISH	Jamy		Sheet No.		3 from 3	

EDCON-COMPONENTS



Ordering Informations

Serie		Pole of switch	Circuit Diagramm	Illuminated	Base Color	Actuator Color	Actuator Type	Terminal Type	Actuator Printing	ROHS	Packing
Q17069	-	1	02	0	B	B	03	05	xx	R	BU
		Single Pole	Look order code table	Look order code table	Look order code table	Look order code table	Look order code table	Look order code table	Look order code table	N= Non ROHS R= ROHS conform	BU= Bulk Ware IV= Individual Package

Rocker Switch Panel Cut Out 13x9,1mm

Part No.: **Q17069**

DRW:	Jason	CHKD	Wilson	MATL:	Wilson	TOLERANCE	Mason	DATE	07.08.2014
APPD:	Schumi			FINISH	Jamy		Sheet No.	3 from 3	

Customer:

